## MUNICIPAL CORPORATION OF BHILAI NIT

वार्ड के. 42 शासकीय आईटीआई पावर हाउस भिलाई में बोर खनन कार्य पाईप लाईन विस्तार सहित।

(As Per PWD Building SOR 01.01.2015 & Electrical SOR 01.06.2020)

1.0	(As Per PWD Building SOR 01.01.2015 & Electrical SOR 01.06.20			
	PARTICULERS OF ITEMS	OTY		
1	Carrying out the resistivity survey by VES method using Schlumberger configuration for locating the proper space for drilling of tube well within the selected habitation, including photography, interpretation of resistivity data submission of report in the desired format along with resistivity readings, necessary graph and photographs. (or successful point is payable)	ot	Point	
2	Boring/drilling bore well perfectly vertical for the specified depth suitable to receive required dia for casing/ strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strainer preparing and submitting strata chart/bore log, including hire & running charges of all equipments, tools, plants machineries required for the job, all complete as per direction of Engineer-in-charge upto 90 metre depth below ground level.	ta, &		
	All types of soil 150 mm nominal of	lia 25.00	Metre	
-	Rocky strata including Boulders 150 mm nominal of	ia 65.00	Metre	
3	Boring/drilling bore well perfectly vertical for the specified depth suitable to receive required dia for casing/strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strat preparing and submitting strata chart/bore log, including hire & running charges of all equipments, tools, plants machineries required for the job, all complete as per direction of Engineer-in-charge beyond 90 metre & upto 150 metre depth below ground level.			
	Rocky strata including Boulders 150 mm nominal d	a 15.00	Metre	
4	Supplying, assembling, lowering and fixing in vertical position in bore well, ISI marked G.I. casing pipe (Plain) medium class in 4 to 7 meters length one end fitted with socket as per IS: 1239 (Part-1&Part-2) 1992 with IVth revision (Up-to-date amendments), of reputed & approved make, including required hire & labour charges, fittings & accessories, all complete, for all depths, as per direction of Engineer- in-charge.	-		
-	Development of tube well in second with 150 mm nominal di	26.00	Metre	
5	Development of tube well in accordance with IS: 2800 (part I) and IS: 11189, to establish maximum rate of usable water yield without sand content (beyond permissible limit), with required capacity air compressor, running the compressor for hire & labour charges of air compressor, tools & accessories etc., all as per requirement and direction of Engin-charge.	4.00	Hrs	
6	Providing and fixing suitable size threaded mild steel cap or spot welded plate to the top of bore well housing/casing pipe, removable as per requirement, all complete for bore well of:  150 mm nominal dia  Electrical SOR 01.06.2020	1	Each	
7	Supplying, installation, testing and commissioning of submersible pump set for water supply system with submersible motor directly coupled to multi-stage submersible pump of specified discharge capacity, head, delivery size in existing bore well including 2 sets of suitable size holding clamps made out of 50 mm X 6 mm MS flat, connection with suitable submersible cable of standard length etc. as per specification and IS: 694 (2010).  5.0 HP, three phase	1	Each	
8	Supply, installation, testing and commissioning of 5-7.5 HP 3 phase submersible motor starter cum control wall/floor mounted type made out of not less than 1.6 mm thick MS sheet and comprising of following panel mounting switchgears there in including connection inter-connection etc. as per specification.  a) Phase indicating lamps with fuses and toggle switches 1 set b) 5/7.5 HP 3 phase DOL starter with over load and no volt relay 1 No c) 32 A "C" curve TPMCB 1 No d) Voltmeter 0-500 V with selector switch 1 set e) Ammeter 0-10 A with CT's and selector switch 1 set.	1.	Each	
9	Providing following size ISI marked FR PVC insulated, PVC sheathed, 3 core submersible copper conductor wire and IS: 694 (2010)  2.5 sq. mm	70.00	Metre	

SN	PARTICULERS OF ITEMS	QTY.	UNIT
10	Supplying and fixing of following sizes 'B' class G I pipe with all necessary Tee's, bends, sockets in the suction/delivery line including cutting and threading etc. as per specification.  25 mm dia.	50.00	Metre
11	Providing and laying in trenches G.I. pipes medium class complete with G.I. fittings including excavation of trenches, refilling the same and testing of joints complete:		
a	25 mm dia. nominal bore	50.00-	200
ь	20 mm dia. nominal bore		Metre
c	15 mm dia. nominal bore	40.00	Metre
	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end):	20.00	Metre
a	25 mm dia. nominal bore		
		5.00	Each
13	Providing and fixing G.I. Union in G.I. pipe (New work) including cutting and threading the pipe and making long screws etc. complete:		
a	25 mm dia. nominal bore		
14	Providing and fixing 15 mm nominal 1	3	Each
	Providing and fixing 15 mm nominal bore Brass bib/stop cock of approved quality: Bib cock (250 grams)	10	Each

Executive Engineer
Municiapal Corporation
Bhilai

Assistant Engineer
Municipal Corporation
Bhilai

Sub Engineer Municipal Corporation Bhilai