


**MUNICIPAL CORPORATION OF BHILAI**  
**NIT**

ड क्र. 50 नवीन कॉलेज ऑडिटोरियम भवन के छत उपर वाटर प्रूफिंग बिटूमीन कोटिंग कार्य।

(As Per PWD Building SOR 01.01.2015 & Electrical SOR 01.06.2020)


S.N.	PARTICULERS OF ITEMS	Quantity	UOM
1	Providing and laying water proofing treatment to vertical and horizontal surfaces of depressed portions of WC, kitchen and the like consisting of: i) 1st course of applying cement slurry @ 4.4 Kg/sqm mixed with water proofing compound conforming to IS 2645 including rounding off junction of vertical and horizontal surface. ii) 2nd course of 20mm cement plaster 1:3 (1 cement : 3 coarse sand) mixed with water proofing compound including rounding off junction of vertical and horizontal surface. iii) 3rd course of applying blown or residual bitumen applied hot @ 1.7 Kg. per sqm of area. iv) 4th course of 400 micron thick PVC sheet. (Overlaps at joints of PVC sheet should be 100 mm wide and pasted to each other with bitumen @ 1.7 Kg. per sqm of area.	896.00	Sqm



**Executive Engineer**  
Municipal Corporation  
Bhilai



**Assistant Engineer**  
Municipal Corporation  
Bhilai



**Sub-Engineer**  
Municipal Corporation  
Bhilai