

कार्यातय, नगर पातिक निगम, भिताई, जिला–दुर्ग

क्रमांक / **585**/ परि. / 2022–23

भिलाई,दिनांक 8 /7/ 2023

// रूचि की अभिव्यक्ति आमंत्रण सूचना//

नगर पालिक निगम भिलाई क्षेत्रांतर्गत 500 सीट शहरी महिला आजीवका केन्द्र के लिये 250 सिलाई मशीनों एवं अन्य आवश्यक सामग्री क्रय किये जाने हेतु रूचि की अभिव्यक्ति आमंत्रित की जा रही है। तीन लिफाफा पद्धति से दिनांक2.१ ०.२ 2.3 तक रूचि की अभिव्यक्ति आमंत्रित किया जाता है। ऑफरदाताओं को लिफाफा 'A' में निविदा शुल्क राशि रू. 5000.00 का डी.डी. आयुक्त, नगर पालिक निगम, भिलाई एवं धरोहर राशि रू. 12.00 लाख किसी भी राष्ट्रीयकृत बैंक का एफ.डी.आर. के रूप में कार्यपालन अभियंता परियोजना शाखा, नगर पालिक निगम, मिलाई एवं ऑफरदाता के संयुक्त नाम के साथ, तकनीकी अर्हताऍ, जी.एस.टी. रिटर्न दस्तावेज, फर्म रजिस्ट्रेशन, पेन कार्ड, बैंक साल्वेंसी एवं संलग्न नियम शर्ते में उल्लेखित दस्तावेज, लिफाफा 'B' में वित्तिय आफर (Financial Offer) के साथ लिफाफा "C" में दोनों अन्य लिफाफे में भरकर रजिस्टर डाक/स्पीड पोस्ट के माध्यम से मुख्य कार्यालय परियोजना शाखा में प्रेषित करना होगा। प्राप्त ऑफर लिफाफा "A" दिनांक <a>2.1.2.1. को समय प्रातः 11:00 बजे खोली जावेगी। निर्धारित निविदा शुल्क धरोहर राशि एवं अन्य दस्तावेज के परीक्षण उपरांत पात्र ऑफरदाता का लिफाफा 'B' वित्तिय आफर (Financial Offer) खोला जावेगा। जिसकी पृथक से सूचना दी जावेगी। ऑफर खोले जाने के समय ऑफरदाता/उनके अधिकृत प्रतिनिधी उपस्थित रह सकते है।

नियम शर्तों का अवलोकन कार्यालयीन समय में मुख्य कार्यालय परियोजना शाखा नगर पालिक निगम, भिलाई में की जा सकती है तथा नियम शर्तों एवं कार्यों की जानकारी नगर पालिक निगम, भिलाई के वेब साईटwww.bhilainagarnigam.comसे डाउनलोड की जा सकती है।

> (परियोजना शाखा) नगर पालिक निगम भिलाई

| S No | Purpose | Main Activity | Equipments Type | Description | Preferred Brand |
|------|------------------------------|-------------------------|-------------------------------------|---|----------------------------|
| 1 | Apparel Factory Set Up | Cutting Department | Automatic Rib Cutting Machine | Fully Automatic Rib/ Roll Cutting Machine | Orbito |
| 2 | Apparel Factory Set Up | Cutting Department | Band Knife Cutting Machine | Band Knife Cutting Machine | Orbito |
| 3 | Apparel Factory Set Up | Cutting Department | End Cutter | End Cutter for Manual Fabric Spreading | Orbito |
| 4 | Apparel Factory Set Up | Cutting Department | Fusing Machine | Continuous Fusing machine with fusable width of 450mm | Orbito |
| 5 | Apparel Factory Set Up | Cutting Department | Rib Cutting Machine | Semi Automatic Roll / Rib Cutting Machine | Orbito |
| 6 | Apparel Factory Set Up | Cutting Department | Round Knife Cutting Machine | Round blade manual cutting machine for Cutting layers upto 100 mm height. | Orbito |
| 7 | Apparel Factory Set Up | Cutting Department | Straight Knife Machine | Straight Knife Cutting Machine for multiply cutting Manual | Orbito |
| 8 | Apparel Factory Set Up | Cutting Department | Tape Cutting Machine | Tape Cutter with hot knife 120 mm | Orbito |
| 9 | Apparel Factory Set Up | Cutting Department | Tape Cutting Machine | Tape Cutter with hot knife 120 mm specially for elastic Cutting | Orbito |
| 10 | Apparel Factory Set Up | Finishing Department | Boiler | Auto Feed boiler with capacity to feed 2 pressing tables | Any Industrial Brand |
| 11 | Apparel Factory Set Up | Finishing Department | Boiler | Portable Boiler upto 5 ltr capacity | Any Industrial Brand |
| 12 | Apparel Factory Set Up | Finishing Department | Iron Press | All Steam Iron Press (Iron Box) | Any Industrial Brand |
| 13 | Apparel Factory Set Up | Finishing Department | Pressing Tables | Vacumm Table with 5 ft x 4 ft area | Any Industrial Brand |
| 14 | Apparel Factory Set Up | Finishing Department | Stain Remover | Stain Remover with 2 heads | Any Industrial Brand |
| 15 | Apparel Factory Set Up | Finishing Department | Thread Sucking machine | Thread sucking Machine | Any Industrial Brand |
| 16 | Apparel Factory Set Up | Finishing Department | Thread Trimmer | Thread Trimming Machine | Any Industrial Brand |
| 17 | Apparel Factory Set Up | Furniture/Accessory | Band Knife | As per Industry Norms | Any Industrial Brand |
| 18 | Apparel Factory Set Up | Furniture/Accessory | Cutting and Laying table | Cutting table, (12mtrs length x 1.8mtrs width x 0.9mtrs height) Size in feet; 40L x 6'D x 3'H. made by; 40 x 40 x 1.2mm thickness square tube with powder coating, table top made by; 25mm prelam board with teak beeding and polishing | Local |

| 19 | Apparel Factory Set | Furniture/Accessory | Cutting Scissors | Industry standard, brass handle, laser edge, 10" blade | Any Industrial |
|----|------------------------------|---------------------|---|--|-------------------------------------|
| 20 | Up Apparel Factory Set Up | Furniture/Accessory | Digital Weight scale - 300 to 1000kg | As per Industry Norms | Brand Any Industrial Brand |
| 21 | Apparel Factory Set Up | Furniture/Accessory | Fabric Checking Table 6x9 | Wooden formica top, wooded beading, burr free | Local |
| 22 | Apparel Factory Set Up | Furniture/Accessory | Fabric Lay Edge Cutter | Company Standard | Any Industrial Brand |
| 23 | Apparel Factory Set Up | Furniture/Accessory | Fabric Storage plastic palette | Standard size | Any Industrial Brand |
| 24 | Apparel Factory Set Up | Furniture/Accessory | Finishing Table | Finishing checking table, (trimming and checking) size; 8' x 4' x 3'H, made by; 18mm particle board with teek wood beeding and polishing, | Local |
| 25 | Apparel Factory Set Up | Furniture/Accessory | For all types of sewing machine | As per Industry Norms (Needle Packet) | Siruba Compatible |
| 26 | Apparel Factory Set | Furniture/Accessory | Fusing Machine | 4x3 bed variable speed, roller | Any Industrial Brand |
| 27 | Apparel Factory Set | Furniture/Accessory | GSM Cutter | As per Industry Norms | Any Industrial Brand |
| 28 | Up Apparel Factory Set | Furniture/Accessory | GSM Scale | As per Industry Norms | Any Industrial Brand |
| 29 | Apparel Factory Set | Furniture/Accessory | Hand Fusing Machine | Lable Transfer inline machine | Any Industrial Brand |
| 30 | Apparel Factory Set | Furniture/Accessory | Ironing and Pressing unit | AG-208 Pressing Station Multipurpose with full accessories | Any Industrial Brand |
| 31 | Up Apparel Factory Set | Furniture/Accessory | Ironing and Pressing unit | INLINE BOTTLE IRON BOX WITH STEAM GENERATOR with associated table | Any Industrial Brand |
| 32 | Up Apparel Factory Set | Furniture/Accessory | Marker chalk 3 colour each 2 box | As per Industry Norms - for 6 boxes | Local |
| 33 | Up Apparel Factory Set | Furniture/Accessory | Metal Safety hand gloves | As per Industry Norms - per piece | Any Industrial Brand |
| 34 | Up Apparel Factory Set Up | Furniture/Accessory | Numbering and size sticker machine | As per Industry Norms | Any Industrial Brand |
| 35 | Apparel Factory Set Up | Furniture/Accessory | Numbering Sticker roll | As per Industry Norms | Any Industrial Brand |
| 36 | Apparel Factory Set Up | Furniture/Accessory | Office table 2 x | Formica top, 18mm, with powder coated square tube table legs | Local |
| 37 | Apparel Factory Set Up | Furniture/Accessory | Packing Table | Packing and folding: size; 8' x 4' x 3'H, made by; 40 x40 x 1.2 square tube with powder coating, Table top made by; 18mm patricle board with teek beeding and polishing, | Local |

| Apparel Factory Set Up | Furniture/Accessory | Storage Racks | by; 80 x 60 x 1.6mm crca perforatted uprights with 100 x 60 x1.6 cross beam and 1.3 decking panel, size; 6'x 5'D x 10' H with 3 level, capacity of | |
|------------------------------|--|--|--|--|
| Apparel Factory Set Up | Furniture/Accessory | Storage Racks | Cutting loading rack at sewing section, made by; 25 x 25 x 16G square tube with powder | Local |
| Apparel Factory Set Up | Furniture/Accessory | Storage Racks | Trims rack, / medium duty rack made by; 60 x 40 x 1.6mm CRCA sheet with 40 x 60 x 1.6mm cross beam with 1.2 decking panel, Size; 6' x 2'D x 6'H with 3 level, capacity 150kgs/ level, | Local |
| Apparel Factory Set Up | Furniture/Accessory | Storage Racks | heavy duty fabric / storage rack, made by; 80 x 60 x 1.6mm CRCA perforatted uprights with 100 x 0 x 1.6 mm cross beam and 1.2 decking panel, size; 6' x 5'D x 10"H with 3 level, capacity of the rack 500kgs each level, | Local |
| Apparel Factory Set Up | Furniture/Accessory | Straight Knife | As per Industry Norms | Any Industrial Brand |
| Apparel Factory Set Up | Furniture/Accessory | Trimming and Checking Table | In line Trimming and Checking table. Size; 3.5 x 2 x 3. Made by; 30 x30 x1.2G square tube with powder coating, table top made by' 18mm particle board with teek beeding and polishing | Local |
| Apparel Factory Set Up | Furniture/Accessory | Visual Board 6 x 4 | Dry Wipe erase board - wooden beading | Local |
| Factory Set Up | Machine Accessories | Machine Cutting Blades | As per Industry Standard | Siruba Compatible |
| Apparel Factory Set Up | Machine Accessories | Moving Knife | As per Industry Standard | Siruba Compatible |
| Apparel Factory Set Up | Machine Accessories | Upper Knife | As per Industry Standard | Siruba Compatible |
| Apparel Factory Set Up | Machine Accessories | Bobins | As per Industry Standard | Siruba Compatible |
| Apparel Factory Set Up | Machine Accessories | Folders and Attachments | As per Industry Standard | Siruba Compatible |
| Apparel Factory Set Up | Machine Accessories | Lower Looper | As per Industry Standard | Siruba Compatible |
| Apparel Factory Set Up | Machine Accessories | Upper Looper | As per Industry Standard | Siruba Compatible |
| Apparel Factory Set Up | Machine Accessories | Needle Plate | As per Industry Standard | Siruba Compatible |
| | Apparel Factory Set Up Apparel Factory Set Up | Factory Set Up Apparel Factor | Factory Set Up Apparel Factor | Factory Set Up Furniture/Accessory Up Furniture/Accessory Storage Racks Slorage Racks Slorag |

| .1 | Apparel | | | | |
|----|------------------------------|------------------------|--------------------------|---|----------------------|
| 53 | Factory Set Up Apparel | Machine Accessories | Screw | As per Industry Standard | Siruba Compatible |
| 54 | Factory Set Up | Machine Accessories | Needle Clamp | As per Industry Standard | Siruba Compatible |
| 55 | Apparel Factory Set Up | Machine Accessories | Main Feed Dog | As per Industry Standard | Siruba Compatible |
| 56 | Apparel Factory Set Up | Machine Accessories | Diff. Feed Dog | As per Industry Standard | Siruba Compatible |
| 57 | Apparel Factory Set Up | Machine Accessories | Tools Kit | As per Industry Standard | Siruba Compatible |
| 58 | Apparel Factory Set Up | Machine Accessories | Grinding Machine | As per Industry Standard, 6inches, Rough and smooth wheel | Siruba Compatible |
| 59 | Apparel Factory Set Up | Machine Accessories | Binding Attachments | As per Industry Standard | Siruba Compatible |
| 60 | Apparel Factory Set Up | Machine Accessories | Spreader | As per Industry Standard | Siruba Compatible |
| 61 | Apparel Factory Set Up | Material Handling | Trolley (Push Cart) | Rubbersied wheel Trolley with 4 wheels. 2.5' (B) x 3.5' (L). Mesh height - 1' Wooden Surface & Frame, Burr free, Powder Coated finish | Local |
| 62 | Apparel Factory Set Up | Quality Department | Quality Control Flags | 3 Coloured (Red, yello, Green) 3mm Acrylic Flags, 6"x 4", with Cromeplated hooks | Local |
| 63 | Apparel Factory Set Up | Sewing Accessory | Operator Chair | 1.5' x 3.5', Burr Free Wooden top seating. With Formica white top and teak wood beading for top, burr free. Powdercoated Metal Tubular frame with Rubber Bushes for stool legs. | Local |
| 64 | Apparel Factory Set Up | Sewing Accessory | Plastic Storage Bins | Injection molded, Plastic Sturdy Bins, for Cut parts, finished goods storage Colour Blue, 2' (B) x 3' (L) x4' (H) | Local |
| 65 | Apparel Factory Set Up | Sewing Accessory | Plastic Storage Bins | Injection molded, Plastic Sturdy Bins, for Cut parts, finished goods storage Colour Blue, 1.5' (B) x 2' (L) x1.5' (H) | Local |
| 66 | Apparel Factory Set Up | Sewing Accessory | Plastic Storage Bins | Injection molded, Plastic Sturdy Bins, for Cut parts, finished goods storage Colour Yellow, 1.5' (B) x 2' (L) x1.5' (H) | Local |
| 67 | Apparel Factory Set Up | Sewing Accessory | Plastic Storage Bins | Injection molded, Plastic Sturdy Bins, for Cut parts, finished goods storage Colour Red, 1.5' (B) x 2' (L) x1.5' (H) | Local |
| 68 | Apparel Factory Set Up | Sewing Accessory | Centre Table | Butterfly type. 1.5' Industry Standard. | Local |
| 69 | Apparel Factory Set Up | Sewing Accessory | Machine Oil | As per Industry Specifications | Local |
| | | | | | |

| 70 | Apparel Factory Set Up | Sewing Department | 3T OL - 3 Thread Over | 3Thread Overlock machine with Direct Drive | Siruba |
|----|------------------------------|-------------------|---|---|--------|
| 71 | Apparel Factory Set Up | Sewing Department | Lock 3T OL - 3 Thread Over Lock | 3Thread Overlock machine with Direct Drive | Siruba |
| 72 | Apparel Factory Set Up | Sewing Department | 3T OL - 3 Thread Over Lock Elastic Feeding | 3Thread Overlock machine with Elastic Feeding & Direct Drive | Siruba |
| 73 | Apparel Factory Set Up | Sewing Department | 4T OL - 4Thread Over Lock | 4Thread Overlock machine with Direct Drive and Thread cutter | Siruba |
| 74 | Apparel Factory Set Up | Sewing Department | 4T OL - 4Thread Over Lock | With elastic Feeding device | Siruba |
| 75 | Apparel Factory Set Up | Sewing Department | 4T OL - 4Thread Over Lock | 4Thread Overlock machine with Direct Drive | Siruba |
| 76 | Apparel Factory Set Up | Sewing Department | 4T OL - 4Thread Over Lock | 4 Thread High Speed Cylinder bed Overlock Machine for 4 neck rib attach | Siruba |
| 77 | Apparel Factory Set Up | Sewing Department | 4T OL - 4Thread Over Lock | 4Thread Overlock machine with Direct Drive and Thread cutter | Siruba |
| 78 | Apparel Factory Set Up | Sewing Department | 4T OL - 4Thread Over Lock | 4Thread Overlock machine with Direct Drive | Siruba |
| 79 | Apparel Factory Set Up | Sewing Department | 5T FL - 5 Thread Flat Lock Cover Seam (with Puller Set) | 5 Thread Cylinder bed flat lock with Puller and top & bottom Thread trimming | Siruba |
| 80 | Apparel Factory Set Up | Sewing Department | 5T FL - 5 Thread Flat Lock for Binding attach | Flatbed Flat lock machine for Binding attach with Direct Drive motor | Siruba |
| 81 | Apparel Factory Set Up | Sewing Department | 5T FL - 5 Thread Flat lock for Cover Seam | 5 Thread Flat bed flat lock with top & bottom Thread trimming | Siruba |
| 82 | Apparel Factory Set Up | Sewing Department | 5T FL - 5 Thread Flat Lock for Cover Seam | 5 Thread Cylinder bed flat lock with top & bottom Thread trimming | Siruba |
| 83 | Apparel Factory Set Up | Sewing Department | 5T FL - 5 Thread Flat lock Top Elastic attach machine | 5 Thread Flat lock with Top Elastic attach machine | Siruba |
| 84 | Apparel Factory Set Up | Sewing Department | 5T FL - Small Cylinder bed Flat lock machine | 5 Thread small cylinder bed flatlock with thread Trimmer | Siruba |
| 85 | Apparel Factory Set Up | Sewing Department | 5T FL - Flat lock machine, Cutbed | 5 Thread Cut bed flatlock with thread Trimmer | Siruba |
| 86 | Apparel Factory Set Up | Sewing Department | 5T FL- 5 Thread Flat lock (Bottom Hem machine) | 5 Thread Cylinder bed flat lock with Right Side Fabric Trimming and top & bottom Thread trimming | Siruba |
| 87 | Apparel Factory Set Up | Sewing Department | 5T OL - 5 Thread Over Lock | 5Thread Overlock machine with Direct Drive | Siruba |



| f | T | | | | |
|-----|------------------------------|-------------------|---|---|--------|
| 88 | Apparel Factory Set Up | Sewing Department | 5T OL - 5 Thread Over Lock | 5Thread Overlock machine for Jeans | Siruba |
| 89 | Apparel Factory Set Up | Sewing Department | | TechFighter - AML 550 | Siruba |
| 90 | Apparel Factory Set Up | Sewing Department | Auto Welt Pocket machine | Automatic pocket welting programmable machine | Siruba |
| 91 | Apparel Factory Set Up | Sewing Department | | Bartack for Elastic Joining | Siruba |
| 92 | Apparel Factory Set Up | Sewing Department | BH- Button Hole Machine | Computer-controlled, High- speed, Lockstitch Buttonholing Machine | Siruba |
| 93 | Apparel Factory Set Up | Sewing Department | BS - Button Sewing Machine | Computer-controlled, High- speed, Lockstitch, Button Sewing Machine for medium size button | Siruba |
| 94 | Apparel Factory Set Up | Sewing Department | BT - Bartack Machine | Computer-controlled, High- speed, Lockstitch, Bartacking Machine | Siruba |
| 95 | Apparel Factory Set Up | Sewing Department | DNLS - Double Needle Lock Stitch Machine | Double Needle Lock Stitch Machine with standard bar and needle gauage is 6.4mm | Siruba |
| 96 | Apparel Factory Set Up | Sewing Department | DNLS - Double Needle Lock Stitch Machine | Double Needle Lock Stitch Machine with Split bar and needle gauage is 6.4mm | Siruba |
| 97 | Apparel Factory Set Up | Sewing Department | Feed Off Arm Machine | 3 Needle Feed Off the Arm Machine | Siruba |
| 98 | Apparel Factory Set Up | Sewing Department | Feed Off Arm Machine | Feed off the Arm Machine for Heavy Duty like Jeans | Siruba |
| 99 | Apparel Factory Set Up | Sewing Department | Flat bed Double Chain stitch for Jeans | 3 Needle Lap Seaming for Jeans | Siruba |
| 100 | Apparel Factory Set Up | Sewing Department | Flat bed Double Chain stitch for Jeans | 6 Needle Waist band attaching machine for Jeans | Siruba |
| 101 | Apparel Factory Set Up | Sewing Department | Flat bed Double Chain stitch for Jeans | 2 Needle Belt Loop Seaming (with Right & Left Fabric Trimmer) | Siruba |
| 102 | Apparel Factory Set Up | Sewing Department | Flat lock cylinder bed machine | Cylinder bed machine with puller | Siruba |
| 103 | Apparel Factory Set Up | Sewing Department | Flat lock flat bed machine | 4 thread flat bed with top & bottom covering sitch with auto trimmer | Siruba |
| 104 | Apparel Factory Set Up | Sewing Department | Flat Lock for Net folding attach | Flatbed Flat lock machine (2 Needle 2 Looper) for Tape attaching Direct Drive | Siruba |
| 105 | Apparel Factory Set Up | Sewing Department | Flat Seamer | Flat seamer with pneumatic type chain cutter and waste suction device - UBT | Siruba |
| 106 | Apparel Factory Set Up | Sewing Department | Lace Elastic Attach Machine | ELASTIC / LACE ATTACHING WITH RIGHT FABRIC TRIMMER | Siruba |
| 107 | Apparel Factory Set Up | Sewing Department | MNCS- Multi Needle Chain Stitch Machine | Multi Needle Chain Stitch machine with 4 Needle and needle to needle 6.4mm gap | Siruba |

| _ | | | | | |
|-----|------------------------------|-------------------|--|---|--------|
| 108 | Apparel Factory Set Up | Sewing Departmen | MNCS- Multi Needle Chai Stitch Machin | n machine with 12 Needle and | Siruba |
| 109 | Apparel Factory Set Up | Sewing Departmen | Multi Needle | Multi Needle Chain stitch machine for Decorative purpose - 12 Needle with | Siruba |
| 110 | Apparel Factory Set Up | Sewing Departmen | Multi Needle Cylinder bed Double chain stitch machine | Multi Needle Chain stitch machine for Elastic Inserting and Attaching - 4 Needle with needle guage of 8.5 mm | Siruba |
| 111 | Apparel Factory Set Up | Sewing Department | Multi Needle Cylinder bed Double chain stitch machine | Multi Needle Chain stitch machine for Tape Attaching -6 Needle with needle guage of 6.4 mm (Different guage set | Siruba |
| 112 | Apparel Factory Set Up | Sewing Department | Multi Needle Cylinder bed Double chain stitch machine | available) | Siruba |
| 113 | Apparel Factory Set Up | Sewing Department | Multi Needle Cylinder bed Double chain stitch machine | Multi Needle Chain stitch machine for Shirt Front (Placket) attaching -4 Needle with needle guage of 6.4 mm (Different guage set available) | Siruba |
| 114 | Apparel Factory Set Up | Sewing Department | Outer Elastic Machine | Cylinder bed flatlock with right side fabric trimming, pneumatic Elastic inserting auto thread trimming with rear extending roller- UBT | Siruba |
| 115 | Apparel Factory Set Up | Sewing Department | Outer Elastic Machine | Thread cutter, Non Fabric puller | Siruba |
| 116 | Apparel Factory Set Up | Sewing Department | Picoting Machine | Picoting Zigzag Machine | Siruba |
| 117 | Apparel Factory Set | Sewing Department | Single Head Embroidery Machine | As per Industry Specifications | Siruba |
| 118 | Up Apparel Factory Set | Sewing Department | Snap and Popper Attach Machine | Press Button Attach machine with servo motor | Siruba |
| 119 | Up Apparel Factory Set | Sewing Department | SNEC - Single Needle Edge Cutter | Single Needle Lock Stitch Machine with Edge Cutter & Direct Drive | Siruba |
| 120 | Up Apparel Factory Set | Sewing Department | SNLS - Single Needle Lock stitch | Medium Duty Single Needle Lock Stitch Machine with UBT & Direct Drive | Siruba |
| 121 | Up Apparel Factory Set | Sewing Department | SNLS - Single Needle Lock stitch | Heavy Duty Single Needle Lock Stitch Machine with Direct Drive | Siruba |
| 122 | Up Apparel Factory Set Up | Sewing Department | Zigzag Machine | High speed one needle Zig-Zag stitching machine with Universal Sewing (Decorative sewing, multiple decorative type cam for changing based on needs. (The 5.0mm cam is attached inside the accessory box with each product.) | Siruba |

| 6 | | | | | |
|-----|----------------------------|---------------------------------|---|---|----------------------------|
| 123 | Building Infrastructure | Bins | Waste Collecting Bir | Small Waste Collecting Bins (Plastic, 1.5'H x 1' Dia) | Local |
| 124 | Building Infrastructure | Bins | Waste Collecting Bir | Large Waste Collecting Bins | Local |
| 125 | Building Infrastructure | Electrical | Electronic Voltage Stabilisers | Electronic Voltage Stabilizer, Rated Current 30 A Working Range (Input) 110V- 290V, Time Delay 5 sec ± 2 sec | V-Guard |
| 126 | Building Infrastructure | Electrical | Apparel Lighting system | Single low energy White Tubelight with mirror reflector set, with individual on-off switch with Bus Bar 15 Ams plugs for sewing machines. Including Installation in the sewing lines | Any Industrial Brand |
| 127 | Building Infrastructure | Electrical | Apparel Lighting system | Single low energy White Tubelight with mirror reflector set, with individual on-off switch. Including Installation in the various apparel department | Any Industrial Brand |
| 128 | Building Infrastructure | Electrical | Apparel Lighting system | Regular Tubelights with holder | Any Industrial Brand |
| 129 | Building Infrastructure | Electrical | Miniature Circuit Breaker (MCB) | MCBs for - Machines Lines, Compressors, Sewing related, Lighting, General Lighting, 30 Amps | Any Industrial Brand |
| 130 | Building Infrastructure | Electrical | Generator | (For Factory with 250 sewing machines) 250KvA Generator Including and Commissioning. Low noise, Low emission. | Any Industrial Brand |
| 131 | Building Infrastructure | Fans | Celing Fans | Industrial Celling Fans. Low RPM, Large Volume | Any Industrial Brand |
| 132 | Building Infrastructure | Fans | Roof Ventilators | As per Industry Norms | Any Industrial Brand |
| 133 | Building Infrastructure | Fire Extinguishers cylinders | As per standard, wall hanging | Fire Extinguisher 6 Kg. Capacity ISI Mark IS: 15683 operating temperature (-0) °C to (+55) °C and Fire Rating 2A & 21B type of fire filled with MAP Powder Complete in all respect & 'A','B' & 'C' class fires - inflammable liquids, gaseous fires like L.P.G. and acetylene, and electrical fires | Any Industrial Brand |
| 134 | Building Infrastructure | Furniture/Accessory | Punching and ID cards (HR System) | Biometric, RF ID (complete system) | Any Industrial Brand |
| 135 | Building Infrastructure | Matting | Industrial Floor Mat | 2 mm, PVC, apparel industry specification floor mat | Any Industrial Brand |
| 136 | Building Infrastructure | Pheumatic Supply | Air Screw Compressor | 10 HP, 200L Tank, Oil Free Compressor, with Air Dryer and accessories for complete installation. Onsite service and warranty for 2 years | Any Industrial Brand |
| 137 | Building Infrastructure | Pheumatic Supply | Compressor | 15 HP, 300L Tank, Oil Free Compressor, with Air Dryer and accessories for complete installation. Onsite service and warranty for 2 years | Any Industrial Brand |

| | | | | 20 HD 5001 T | |
|-----|----------------------------|------------------|--|--|---|
| 138 | Building Infrastructure | Pheumatic Supply | Air Screw Compressor | 20 HP, 500L Tank, Oil Free Compressor, with Air Dryer and accessories for complete installation. Onsite service and | Any Industrial Brand |
| 139 | Building Infrastructure | Pheumatic Supply | Compressor Air Blow Gun | warranty for 2 years Air Blower Spray Blow Gun and 5 m Recoil Hose with | Any Industrial |
| 140 | Building Infrastructure | Pheumatic Supply | Compressor Plumbing | Dust Clean Nozzle Compressed airline plumbing with connectors and nipples, As per requirement for machines per running meter. Consealed Plumbing with equidistant floor points | Any Industrial Brand |
| 141 | Building Infrastructure | Water | Drinking water Dispenser | Water Cooling, Heating and Normal Facility | Any Industrial Brand |
| 142 | Building Infrastructure | Water | Drinking water Purifier | RO Water Purifier with UV, 25- 50 Ltrs Per hour Water Filter, Commercial & Industrial Water RO Purifier, TDS Adjuster, Automatic Pro Smart, Dual Pump. With 1 set spare filters | Forbes |
| 143 | Building Infrastructure | Water | Water plumbing | Drinking water Consealed plumbing - Up to the Water Dispenser | Local |
| 144 | Other Infrastructure | ΙΤ | Computer Desktops | All in One Desktop set (Core i5 10th Gen or greater, 8GB, 1TB Tiny CPU, 21 inches monitor, Keyboard, Mouse, FHD Webcam, Windows 11, MS Office, WiFi compatible | Lenovo |
| 145 | Other Infrastructure | IT | Laptop | Lenovo Thinkpad Laptop E15 Intel Core i3 - 8GB RAM, 256 GB SSD | Lenovo Thinkpad |
| 146 | Other Infrastructure | IT | Wifi Extender | Wifi Range Extender (Repeater), 5GHz compatible | TP Link |
| 147 | Other Infrastructure | IT | Wifi Router | Wifi 6 with 4 antenas, 5Ghz, greater than 500Mbps | TP Link |
| 148 | Other Infrastructure | ΙΤ | Printer, copier, scanner, All in one | Printer laserjet for Home & SMBs: 3-in-1 Print+Copy+Scan, Mess-Free 15 Sec Toner Refill, Lowest Cost/Page-B&W Prints, Dual Band Wi-Fi, Smart Guided Buttons, Mobile Printing or better | HP |
| 149 | Other Infrastructure | IT | Printer Toner | Matching the printer as quoted above | HP Compatible |
| 150 | Other Infrastructure | Fans | Industrial Exhaust Fan | 50" Industrial Exhaust Fans, Stainless Steel Fan blades [44000 CMH] - 1.1 KW, 3Phase, EXH-F-1380 | Any Industrial Brand |
| 151 | Other Infrastructure | Fans | Infra Accessories | Mounting Accessories & Installation of Exhaust Fan | Any Industrial Brand |
| 152 | Building Infrastructure | Electrical | Apparel Lighting system | Round Orion Highbay Led 150W, CDS-L-HB150 | Orion |
| 153 | Building Infrastructure | Electrical | Industrial Fans | OP-G16 -6 Blade Nord Gear Reducer type 4.9m , 1.5 kw - 16' HVLS Fan -Air Volume : 9000 CMM ,Imported American Aviation aluminium (AA6063T6) | SUNON, or MG or equivalent brand |

| Building Infrastructure BusBar BusBa | Industrial Brand Any Industrial Brand |
|--|--|
| Building Infrastructure BusBar BusBa | 2 Industrial Brand A Any Industrial Brand Any Industrial |
| Building Infrastructure Electrical BusBar DTM-63A-EF-SM - ABE 63A Cu SM End Feeder Unit Building Infrastructure Electrical BusBar DTM-BMEC-4063 - ABE 40/63A BM End closer Unit BusBar DTM-BMEC-4063 - ABE 40/63A BM End closer Unit BusBar DTM-16A-L1 - ABE 16A Tap off plug L1 BusBar DTM-16A-L2 - ABE 16A Tap off plug L2 | Industrial Brand Any Industrial |
| Infrastructure BusBar 40/63A BM End closer Unit BusBar DTM-16A-L1 - ABE 16A Tap off plug L1 BusBar BusBar DTM-16A-L2 - ABE 16A Tap off plug L2 | Industrial Brand Any Industrial Brand Any Industrial Brand Any Industrial |
| Infrastructure Electrical BusBar off plug L1 BusBar off plug L1 BusBar DTM-16A-L2 - ABE 16A Tap off plug L2 | Industrial Brand Any Industrial |
| Infrastructure Electrical BusBar off plug L2 | Industrial |
| DEL 101 10 ADE 101 Total | |
| Building Infrastructure Electrical BusBar DTM-16A-L3 - ABE 16A Tap off plug L3 | Brand |
| Building Infrastructure Electrical BusBar DTM-FU-4063 - ABHOAS Universal Fixing Unit | Any Industrial Brand |
| Building Infrastructure Electrical BusBar DTM-JS-4063 - ABE/ABE Mounting Joint Set | Any Industrial Brand |
| Building Infrastructure Electrical BusBar DTM-TB-STD - TR85 35A Trolley Busbar Standard Length | Any Industrial Brand |
| Building Infrastructure Electrical BusBar DTM-TB-FU - TR85 Feeder Unit | Any Industrial Brand |
| Building Infrastructure Electrical BusBar DTM-TB-EC - TR85 End Closer | Any Industrial Brand |
| Building Infrastructure Electrical BusBar Collector Car (4P-35A) (With round coils) | Brand |
| Building Infrastructure Electrical BusBar DTM-TB-SLH - TR85 Sliding Hanger | Brand |
| Building Infrastructure Electrical BusBar DTM-TB-JE - TR85 Joint Element | Any Industrial Brand |
| Building Infrastructure Electrical BusBar DTM-TB-CU - TR85 Copper Strip | Any Industrial Brand |
| Building Infrastructure Electrical BusBar DTM-32A-TOB - ABE 32A Tap-off Unit-IP55 (Empty-Suitable for 3P MCB) | Any Industrial Brand |
| Building Infrastructure Electrical BusBar DTM-160A-STD - SPH 160A Aluminium Standard Length IP-55 4C | Industrial Brand |
| Building Infrastructure Electrical BusBar DTM-160A-SPL - SPH 160A Aluminium Special Length IP- | - Industrial Brand |
| Building Infrastructure Electrical BusBar DTM-160A-EF - SPH 160A 4conductor Feeder Box (With Block Joint) | Brand |
| Building Infrastructure Electrical BusBar DTM-160A-EC - 160A End Closer | Any Industrial Brand |

| 175 | Building Infrastructure | Electrical | BusBar | DTM-160A-80A - 80ATap off Box (Empty Suitable for 3P MCB) | Any Industrial Brand |
|-----|----------------------------|------------|--------|--|----------------------------|
| 176 | Building Infrastructure | Electrical | BusBar | DTM-160A-FC - SPH 160A Fixing Clamp | Any Industrial Brand |

निविदा की नियम/शर्ते :--

अ. आवेदन की प्रक्रिया

- 1. निविदाकर्ता को बंद लिफाफा (अ—<u>तकनीकी अर्हता, न्यूनतम अर्हता, धरोहर राशि एवं अन्य दस्तावेज,</u> ब—<u>दर संबंधी विवरण</u> एवं स— अ एवं ब की पैकिंग लिफाफा स में डालना है) में निविदा प्रस्तुत करना होगा।
- समस्त लिफाफे के उपर में निविदा का नाम (500 सीट महिला शहरी आजीविका केन्द्र हेतु मशीनरी प्रदाय एवं installation कार्य) एवं प्रेषित किये जाने वाले निविदाकर्ता का पूर्ण पता स्पष्ट उल्लेखित होना अनिवार्य होगा।
- 3. निविदा परियोजना शाखा मुख्य कार्यालय नगर पालिक निगम भिलाई के पते में भेजे।
- निविदाएं केवल रिजर्स्टड पोस्ट/स्पीड पोस्ट के द्वारा ही स्वीकार की जावेगी। इसके अतिरिक्त अन्य किसी प्रकार से एवं निर्धारित तिथि एवं समय उपरांत स्वीकार नहीं की जावेगी।

ब. निविदा हेतु न्यूनतम आईताएँ

- शासन द्वारा निर्धारित अधिनियम अंतर्गत संस्था/फर्म/प्रतिष्ठान के रूप में पंजीकृत होना अनिवार्य होगा।
- 2. जी.एस.टी. नं. की छायाप्रति, पेन कार्ड की छायाप्रति, फर्म/संस्था के टर्न ओवर प्रमाण पत्र की छायाप्रति, अंतिम 3 वर्षों का आयकर रिर्टन, अंतिम 03 वर्ष का जी.एस.टी. रिर्टन प्रमाण पत्र की छायाप्रति एवं अमानत राशि का FDRप्रस्तुत करना अनिवार्य होगा।
- निविदाकर्ता का टर्नओवर 3 करोड प्रतिवर्ष विगत 03 वर्ष का होना अनिवार्य होगा। टर्न ओवर सी०ए० से प्रमाणिकृत होना अनिवार्य होगा।
- सामग्रियों के निर्माताओं / अधिकृत विक्रेताओं का प्रमाण पत्र, यदि वे अधिकृत विक्रेता है, तो डिलरशीप
 प्रमाण पत्र प्रस्तुत करना अनिवार्य होगा।
- निविदाकर्ता को संबंधित क्षेत्र में टेक्निकल एवं नॉन टेक्निकल स्टॉफ की सूची मशीन के आधार पर प्रस्तुत करना अनिवार्य होगा।
- 6. निविदाकर्ता अगर अमानत राशि की छूट हेतु अधिकृत है, तो वे प्रमाण–पत्र, तथा शासन के अभिप्रमाण प्रस्तुत करें।
- 7. राशि रू.100 के स्टाम्प में काली सूची (ब्लैक लिस्टेड) में नही होने एवं समस्त नियम एवं शर्ते मान्य होने के संबंध में शपथ पत्र प्रस्तुत करना अनिवार्य होगा।



- एक निविदाकर्ता का एक ही निविदा स्वीकार किया जाएगा। निविदाकर्ता द्वारा निविदा में किसी भी प्रकार की काट छांट किये जाने पर निविदा अस्वीकार किया जायेगा।
- सभी कर सिम्मिलित कर के निविदा दर प्रस्तुत करना होगा, निविदा में उल्लेखित दर के अतिरिक्त अन्य कोई स्वत्व देय नही होगा।
- 10. प्रत्येक सामाग्री / मशीन हेतु निविदाकर्ता को एक ही ब्रांड के लिये कोटेशन प्रस्तुत करना अनिवार्य होगा।

स. तकनीकी अर्हताएँ

- आपूर्ति की जाने वाली सामग्री से संबंधित कैटलॉग विवरण (Specification) एवं प्रतिकृति (image) होना आवश्यक है।
- 2. संबंधित क्षेत्र में निविदाकर्ता को कम से कम 03 वर्ष का कार्यानुभव होना अनिवार्य होगा।
- 3. चयनित फर्म/संस्था को प्रदाय किये जाने वाले मशीनरी पर कम से कम 3 साल तक मेन्टेनेन्स कार्य किया जाना अनिवार्य होगा एवं मेन्टेनेन्स कार्य 03 दिवस के भीतर किया जाना अनिवार्य होगा। मेन्टेनेन्स कार्य 03 दिवस के भीतर नहीं किये जाने पर 1 प्रतिशत प्रति सामाग्री प्रतिदिन की दर से अधिभार देना होगा।
- 4. प्रदाय किये जाने वाले मशीनरी सामग्रीयों पर भुगतान किये जाने वाली राशि पर (जी.एस.टी. को छोडकर) 5 प्रतिशत राशि 01 वर्ष तक रोकी जावेगी। जिसका भुगतान संतोषप्रद पाये जाने की स्थिति में 01 वर्ष पश्चात नियमानुसार किया जावेगा।
- 5. निविदाकर्ता को निर्धारित ब्रांड के आधार पर दर अंकित करना अनिवार्य होगा।
- 6. निर्धारित न्यूनतम Specification के आधार पर सामग्री प्रदाय किया जाना अनिवार्य होगा।

द. चयन प्रक्रिया

- निविदा खोलने के निर्धारित समय में निविदाकर्ता स्वयं/प्रतिनिधि उपस्थित रह सकते है।
- लिफाफा "अ" पहले खोला जाएगा, जिसमें निविदा की शर्तो को पूर्ण करने एवं वैध पाये जाने पर ही लिफाफा "व" खोला जाएगा।
- निविदाकर्ता का चयन सिलाई मशीनरी सामग्री में उल्लेखित सामग्री में दर का चयन पृथक-पृथक सामग्री के अनुसार किया जावेगा।

ई. अन्य नियम एवं शर्ते

- निविदाकर्ता को अमानत राशि कुल प्रशासकीय रवीकृति की राशि रू. 395.39 लाख का तीन प्रतिशत अर्थात 12,00,000.00 /— (बारह लाख रू. मात्र) किसी राष्ट्रीयकृत बैंक द्वारा जारीFDR प्रस्तुत करना अनिवार्य होगा। जो कि, आयुक्तनगर पालिक निगम भिलाई के पक्ष में जारी हुआ हो। जिस पर पृथक से ब्याज देय नहीं होगा।
- निविदा प्रारूप में उल्लेखित मशीन उपकरणों की क्षमता एवं गुणवत्ता अनुसार ही निविदा भरी जाये। उपकरणों की चाही क्षमता एवं गुणवत्ता अंकित नहीं होने पर निविदा अमान्य कर दिया जावेगा।
- निविदा में प्रस्तुत दर में मशीन के इंस्टालेशन स्टाफ ट्रेनिंग, Freight of Road में सिमालित दर प्रदाय करने का होना चाहिये, किसी प्रकार का अतिरिक्त या अन्य व्यय मान्य नहीं होगा।



- विवदा दाता को मशीन / उपकरण कार्यादेश दिनांक से 15 दिवस के भीतर प्रदाय किया जाना अनिवार्य होगा।
- 5. निविदादाता को मशीन उपकरण की वारंटी अवधि तक निःशुल्क सर्विसिंग की सुविधा प्रदान करना अनिवार्य हो।
- 6. निविदादाता द्वारा मशीनों के निरंतर मेंटेनेंश के लिए 1 मैकेनिक का दर प्रस्तुत करना अनिवार्य होगाफैक्ट्री स्थापित होने के बाद 1 वर्ष (ऑनसाइट) के लिए एक पूरी तरह से सक्षम रखरखाव व्यक्ति (निवारक और ब्रेकडाउन रखरखाव करने के लिए) प्रदान करेगा।
- 7. सामग्रियों का समस्त करों को मिला कर प्रति ईकाई दर प्रस्तुत करना होगा।
- 8. बोलीदाता को विस्तृत विनिर्देशों के साथ मशीनों के लिए सभी कैटलॉग प्रस्तुत करने की आवश्यकता है।
- 9. अंतिम रूप दी जाने वाली और खरीदी जाने वाली मशीनों का विन्यास कारखाने की स्थापना पर निर्भर करता है।
- 10. निविदा कर्ता को तकनीकी एजेंसी के साथ "िफट फॉर पर्पस" उदद्श्य के आधार पर अंतिम रूप दिए जाने वाले मशीन ब्रांड का निर्धारण करेंगे।
- 11. दरें स्वीकृत होने पर तथा आदेश के मान से निर्धारित अविध के अन्दर सामग्री की पूर्तिचयनित स्थल पहुंचाकर देनी होगी, जिस हेतु पृथक से कोई राशि देय नहीं होगा। निर्धारित अविध के अन्दर सामग्री की पूर्ति नहीं होने पर अमानत राशि राजसात की जावेगी, तथा दिये गये आदेश की सामग्री मूल्य पर 6प्रतिशत पेनाल्टी लगायी जायेगी।
- 12. सभी प्रकार के टैक्स आदि का वहन निविदाकर्ता द्वारा किया जावेगा। निविदाकर्ता को आयकर एवं वाणिज्यकर का भुगतान किया जाना अनिवार्य होगा।
- 13. आपूर्ति होने पर सामग्री के कमी क्षति या हानि के लिये कार्यालय/विभाग जिम्मेदार नही होगा।
- 14. आपूर्ति की जाने वाली सामग्री की संख्या/मात्रा निर्धारित करने का अधिकार इस कार्यालय को होगा। जिन निविदाकर्ता की निविदा अस्वीकार की जावेगी। उन्हें पृथक से कोई सूचना नहीं दी जाएगी।
- 15. निविदाकर्ता द्वारा प्रदाय की गई सामग्रियों का भौतिक सत्यापन Technicalएजेंसी एवं विभाग द्वारा संयुक्त रूप से किया जावेगा। क्रेता विभाग द्वारा मांग अनुरूप आवश्यकतानुसार सामग्री मांग करने पर सामग्री प्रदाय करना अनिवार्य होगा। भौतिक सत्यापन में मिलान नहीं होने पर नियमानुसार कार्यवाही की जावेगी या क्रय आदेश निरस्त किया जा सकता है।
- 16. निविदाकर्ता को किसी भी प्रकार की परेशानी/दिक्कत होने की स्थिति में कार्यालयीन दिवस एवं कार्यालयीन समय में कार्यालय में आकर जानकारी प्राप्त कर सकते है।
- 17. निविदा प्रक्रिया के दौरान आयुक्त नगर पालिक निगम भिलाई द्वारा ऐसी कोई भी शर्ते निर्धारित की जा सकती है, जो शासन हित में हो। यह शर्ते समस्त निविदाकर्ता को मान्य एवं उनके लिए बंधनकारी होगा।
- 18. किसी भी विवाद की स्थिति में आयुक्त, नगर पालिक निगम भिलाईका निर्णय अंतिम एवं सभी के लिये बंधनकारी होगा।

कार्यपालन अभियंता परियोजना शाखा नगर पालिक निगम भिलाई

प्रपत्र भाग— 'अ' तकनीकी अर्हता एवं धरोहर राशि

प्रति,

आयुक्त नगर पालिक निगम भिलाई

| | _ | | | |
|---|---|----|----|--|
| H | ਨ | С. | रा | |

| ह। माना | कार्यालय नगर पालिक निगम, भिलाई नगर क्षेत्रांतर्गत500 सीटशहरी महिला आजीविका केन्द्र करने हेतु, प्रकाशित निविदा के आधार पर मेरे द्वारा निविदा क्रमांक क्रय किया गया वेदा में दी गई शर्तो, नियमो तथा परिशिष्टों मे दिये गये पूर्ण विवरण को पढ़कर भली— भॉती समझकर त होकर निम्नानुसार विवरण प्रस्तुत करता/करते हैं :— |
|---------|---|
| 1. | निविदाकर्ता का पूरा नाम पता तथा दूरभाष क्रमांक : |
| 2. | फर्म का स्वरूप (स्वामित्व/भागीदारी/प्रा.लि./लि.कंपनी) : |
| 3. | फर्म के स्वामी का नाम एवं पता : |
| | |
| 4. | यदि भागीदार है तो नाम व पता : |
| | |
| 5. | फर्म की स्थापना/पंजीयन क्रमांक : |
| | |
| 6. | अंतिम 3 वर्षो का ITR : |
| 7. | निविदाकार/फर्म/कंपनी का नाम, वाणिज्यकर |
| | |
| वि | भाग द्वारा जारी किया गया प्रमाण पत्र/GST No |
| **** | |
| 8. | फर्म का बैक नाम व खाता क्रमांक : |
| 0. | |
| 9. | अमानत राशि का विवरण बैंक का नाम एफ.डी.आर/सावधि जमा पत्र नबंर व दिनांक : |
| | |
| | |
| | |



| 10. | निविदा की शर्तो का सहमति पत्र : | ······································ |
|-----|--|--|
| 11. | निविदा प्रपत्र के साथ प्रस्तुत/संलग्न दस्तावेजो की सूर्च | ↑ : |
| 1. | | 5 |
| 2. | | 6 |
| 3. | | 7 |
| 4. | | 8 |

हमारे द्वारा उपरोक्त दी गई समस्त जानकारी/दस्तावेज सही है। गलत प्रमाण पत्र अथवा अभिलेख/ जानकारी पाये जाने पर जो भी कार्यवाही की जायेगी, उसके लिए मै/हम स्वयं जिम्मेदार होगे।

> हस्ताक्षर एवं सील निविदा कर्ता

निविदाकार फर्म द्वारा उपरोक्तानुसार जिन दस्तावेजों का विवरण दिया जा रहा है, उसको स्व प्रमाणित प्रतियों में प्रस्तुत करनी होगी। प्रस्तुत किये जा रहे सभी दस्तावेज निविदाकार अथवा फर्म के नाम पर होना अनिवार्य होगा, अन्यथा निविदा मान्य नहीं होगी। निविदा प्रस्तुत करते समय प्रस्तुत समस्त दस्तावेज व प्रमाण पत्र वैद्यता की परिधि में होना आवश्यक है, अन्यथा निविदा विचारणीय नहीं होगी।



प्रपत्र भाग— 'ब' दर संबंधी विवरण

प्रति,

आयुक्त नगर पालिक निगम भिलाई

महोदय,

| होकर निम्न | कार्यालय नगर पालिक निगम भिलाई नगर क्षेत्रांतर्गत500 सीटशहरी महिला आजीविका केन्द्र कीस्थापन कािशत निविदा के आधार पर मेरे द्वारा निविदा क्रमांक क्रय किया गया है। मै निविद शर्तो, नियमो तथा परिशिष्टों मे दिये गये पूर्ण विवरण को पढ़कर भली— भाँती समझकर तथा समहत नानुसार विवरण प्रस्तुत करता/करते हैं :— निविदाकर्ता का पूरा नाम पता तथा दूरभाष क्रमांक :— फर्म का स्वरूप (स्वामित्व/भागीदारी/प्रा.लि./लि.कंपनी) :— |
|------------|---|
| 3. | फर्म के स्वामी का नाम एवं पता :— |

सिलाई मशीनरी सामग्री

| S No | Purpose | Main Activity | Equipments Type | Description | Preferre d Brand | Machine Model | Base Cost | GST | Total |
|---------|------------------------------|-----------------------|----------------------------------|---|---------------------|------------------|--------------|-----|-------|
| 1 | Apparel Factory Set Up | Cutting Department | Automatic Rib Cutting Machine | Fully Automatic Rib/ Roll Cutting Machine | | Model | COST | | Cost |
| 2 | Apparel Factory Set Up | Cutting Department | Band Knife Cutting Machine | Band Knife Cutting Machine | | | | | |
| 3 | Apparel Factory Set Up | Cutting Department | End Cutter | End Cutter for Manual Fabric Spreading | | | | 1 | |
| 4 | Apparel Factory Set Up | Cutting Department | Fusing Machine | Continuous Fusing machine with fusable width of 450mm | | | | | |
| 5 | Apparel Factory Set Up | Cutting Department | Rib Cutting Machine | Semi Automatic Roll / Rib Cutting Machine | | | | | |
| 6 | Apparel Factory Set Up | Cutting Department | Round Knife Cutting Machine | Round blade manual cutting machine for Cutting layers upto 100 mm height. | | | | | |
| 7 | Apparel Factory Set Up | Cutting Department | Straight Knife Machine | Straight Knife Cutting Machine for multiply cutting Manual | | | | | |
| 8 | Apparel Factory Set Up | Cutting Department | Tape Cutting Machine | Tape Cutter with hot knife 120 mm | | | | | |

| 1 | | | | | | | |
|----|------------------------------|-------------------------|--|---|--|--|--|
| 9 | Apparel Factory Set Up | Cutting Department | Tape Cutting Machine | Tape Cutter with hot knife 120 mm specially for elastic Cutting | | | |
| 10 | Apparel Factory Set Up | Finishing Department | Boiler | Auto Feed boiler with capacity to feed 2 pressing tables | | | |
| 11 | Apparel Factory Set Up | Finishing Department | Boiler | Portable Boiler upto 5 ltr capacity | | | |
| 12 | Apparel Factory Set Up | Finishing Department | Iron Press | All Steam Iron Press (Iron Box) | | | |
| 13 | Apparel Factory Set Up | Finishing Department | Pressing Tables | Vacumm Table with 5 ft x 4 ft area | | | |
| 14 | Apparel Factory Set Up | Finishing Department | Stain Remover | Stain Remover with 2 heads | | | |
| 15 | Apparel Factory Set Up | Finishing Department | Thread Sucking machine | Thread sucking Machine | | | |
| 16 | Apparel Factory Set Up | Finishing Department | Thread Trimmer | Thread Trimming Machine | | | |
| 17 | Apparel Factory Set Up | Furniture/Acc essory | Band Knife | As per Industry Norms | | | |
| 18 | Apparel Factory Set Up | Furniture/Acc essory | Cutting and Laying table | Cutting table, (12mtrs length x 1.8mtrs width x 0.9mtrs height) Size in feet; 40L x 6'D x 3'H. made by; 40 x 40 x 1.2mm thickness square tube with powder coating, table top made by; 25mm prelam board with teak beeding and polishing | | | |
| 19 | Apparel Factory Set Up | Furniture/Acc essory | Cutting Scissors | Industry standard, brass handle, laser edge, 10" blade | | | |
| 20 | Apparel Factory Set Up | Furniture/Acc essory | Digital Weight scale - 300 to 1000kg | As per Industry Norms | | | |
| 21 | Apparel Factory Set Up | Furniture/Acc essory | Fabric Checking Table 6x9 | Wooden formica top, wooded beading, burr free | | | |
| 22 | Apparel Factory Set Up | Furniture/Acc essory | Fabric Lay Edge Cutter | Company Standard | | | |
| 23 | Apparel Factory Set Up | Furniture/Acc essory | Fabric Storage plastic palette | Standard size | | | |
| 24 | Apparel Factory Set Up | Furniture/Acc essory | Finishing Table | Finishing checking table, (trimming and checking) size; 8' x 4' x 3'H, made by; 18mm particle board with teek wood beeding and polishing, | | | |
| 25 | Apparel Factory Set Up | Furniture/Acc essory | For all types of sewing machine | As per Industry Norms (Needle Packet) | | | |
| 26 | Apparel Factory Set Up | Furniture/Acc essory | Fusing Machine | 4x3 bed variable speed, roller | | | |



| 1 | Apparel | | | | | | | | |
|-----------------------|------------------------|--|--|--|-------------------|---|---|---|---|
| 27 | Factory Set | Furniture/Acc | 0011- | A | | | | | |
| - | Up | essory | GSM Cutter | As per Industry | | | | | |
| 28 | Apparel | Furniture/Acc | | Norms | | | | | |
| 28 | Factory Set Up | essory | GSM Scale | As per Industry | The second second | | - | | |
| recouler saver | Apparel | costry | O O W O Cale | Norms | | | | | |
| - 29 | Factory Set | Furniture/Acc | Hand Fred | | | | | | |
| | Up | essory | Hand Fusing Machine | Lable Transfer Inline | | | | | |
| | Apparel | | Machine | machine | | | | | |
| 30 | Factory Set | Furniture/Acc | Ironing and | AG-208 Pressing | | | | - | |
| | Up | essory | Pressing unit | Station Multipurpose | | | | | |
| | Apparel | | | with full accessories | | | | | |
| 31 | Factory Set | Furniture/Acc | Ironia | INLINE BOTTLE IRON BOX WITH | | | | | |
| | Up | essory | Ironing and Pressing unit | STEAM | | | | | |
| - | | | . ressing thin | GENERATOR with | | | | | |
| 2.2 | Apparel | Eugette 4 | | associated table | | | | | |
| 32 | Factory Set | Furniture/Acc essory | Marker chalk 3 | As per Industry | | | | | |
| - | Up Apparel | easory | colour each 2 box | Norms - for 6 boxes | | | | | |
| 33 | Factory Set | Furniture/Acc | Metal Safety hand | A | - | | | | |
| | Up Up | essory | gloves | As per Industry Norms - per piece | | | | | |
| | Apparel | ga | Numbering and | rroms - per piece | | | | | |
| 34 | Factory Set | Furniture/Acc essory | size sticker | As per Industry | | | | | |
| - Carolina Contractor | Up | essory | machine | Norms | | | | | |
| 35 | Apparel Factory Set | Furniture/Acc | Numbering | As per Industry | - | - | | | |
| | Up | essory | Sticker roll | Norms | | | | | |
| | Apparel | and the state of t | The same of the sa | Formica top, 18mm, | - | | | | |
| 36 | Factory Set | Furniture/Acc | Office table 2 x 4 | with powder coated | | | | | |
| | Up | essory | Office table 2 x 4 | square tube table | | | | | |
| - | | | | legs | | | | | |
| | | | | Packing and folding: | | | | | |
| | | Furniture/Acc essory Pa | | size ; 8' x 4' x 3'H, made by ; 40 x40 x | | | | | |
| 37 | Apparel | | Double of the | 1.2 square tube with | | | | | |
| 37 | Factory Set Up | | Packing Table | powder coating, | | | | | |
| | | 1 | | Table top made by ; 18mm patricle board | | | | | |
| | | | | with teek beeding | | | | | |
| | | | | and polishing, | | | | | |
| | | | | Cutting storage | | | | - | - |
| | | | | RACKS, made by ; 80 x 60 x 1.6mm | | | | | |
| | | | | crca perforatted | | | | | |
| 30 | Apparel | Furniture/Acc | | uprights with 100 x | | | | | |
| 38 | Factory Set Up | essory | Storage Racks | 60 x1.6 cross beam | | | | | |
| | 9 | | | and 1.3 decking panel, size ; 6'x 5'D x | | | | | |
| | | | | 10' H with 3 level, | | | | | |
| | | | | capacity of the rac | | | | | |
| | | | | 500kgs each level, | | | | | |
| | | | | Cutting loading rack at sewing section, | | | | | |
| | | | | made by ; 25 x 25 x | | | | | |
| | Apparel | | | 16G square tube | | | | | |
| 39 | Factory Set | Furniture/Acc | Storage Racks | with powder coating, | | | | | |
| | Up | essory | | and decking shelf made by ; 18mm ply | | | | | |
| | | | | wood and lamination | | | | | |
| | | | 1 | sheet, size ; 4' x 2' x | | | | | |
| | | | | 6'H with 4 level, | | | | | |
| | | | | Trims rack, / medium | | | | | |
| | | | | duty rack made by ; 60 x 40 x 1.6mm | | | | | |
| | Apparel | | | CRCA sheet with 40 | | | | | |
| 40 | Factory Set | Furniture/Acc | Storage Books | x 60 x 1.6mm cross | | | | | |
| | Up | essory | Storage Nacks | beam with 1.2 | | | | | |
| | | | | decking panel, Size; 6' x 2'D x 6'H with 3 | | | | | |
| | | | | level, capacity | | | | | |
| - | | | 1 | 150kgs/ level, | | | | | |
| | | | K-V | The second secon | | | | - | |

| 100 | | 1 | | | | | | |
|-----|------------------------------|-------------------------|----------------------------------|---|---|---|--|--------|
| 41 | Apparel Factory Set Up | Furniture/Ac essory | c Storage Rack | beam and 1.2 decking panel, size; 6' x 5'D x 10"H with 3 level, capacity of the rack 500kgs each | m | | | |
| 42 | Factory Set | Furniture/Ac essory | Straight Knife | As per Industry Norms | - | | | |
| 43 | Apparel Factory Set Up | Furniture/Acc essory | C Trimming and Checking Table | In line Trimming and Checking table. Size; 3.5 x 2 x 3. Made by; 30 x30 x1.2G square tube with powder coating, table top made by' 18mm particle board with teek beeding | | | | |
| 44 | Apparel Factory Set Up | Furniture/Acc essory | Visual Board 6 x | and polishing Dry Wipe erase board - wooden beading | | _ | | |
| 45 | Apparel Factory Set Up | Machine Accessories | Machine Cutting Blades | | | | | |
| 46 | Apparel Factory Set Up | Machine Accessories | Moving Knife | As per Industry Standard | | | | |
| 47 | Apparel Factory Set Up | Machine Accessories | Upper Knife | As per Industry Standard | | | | |
| 48 | Apparel Factory Set Up | Machine Accessories | Bobins | As per Industry Standard | | | | \neg |
| 49 | Apparel Factory Set Up | Machine Accessories | Folders and Attachments | As per Industry Standard | | | | - |
| 50 | Apparel Factory Set Up | Machine Accessories | Lower Looper | As per Industry Standard | | | | 7 |
| 51 | Apparel Factory Set Up | Machine Accessories | Upper Looper | As per Industry Standard | | | | |
| 52 | Apparel Factory Set Up | Machine Accessories | Needle Plate | As per Industry Standard | | | | |
| 53 | Apparel Factory Set Up | Machine Accessories | Screw | As per Industry Standard | | | | |
| 54 | Apparel Factory Set Up | Machine Accessories | Needle Clamp | As per Industry Standard | | | | |
| 55 | Apparel Factory Set Up | Machine Accessories | Main Feed Dog | As per Industry Standard | | | | |
| 56 | Apparel Factory Set Up | Machine Accessories | Diff. Feed Dog | As per Industry Standard | | | | |
| 57 | Apparel Factory Set Up | Machine Accessories | TOOIS KIL | As per Industry Standard | | | | |
| 58 | Apparel Factory Set Up | Machine Accessories | Grinding Machine | As per Industry Standard, 6inches, Rough and smooth wheel | | | | |



| | / | | | |
|--------|------------------------------|-----------------------|--|---|
| . / 59 | Up | Machine Accessorie | | As per Industry Standard |
| 60 | Apparel Factory Set Up | Machine Accessorie | | |
| 61 | Apparel Factory Set Up | Material Handling | Trolley (Pu Cart) | Rubbersied wheel Trolley with 4 wheels. 2.5' (B) x 3.5' (L). Mesh height - 1' Wooden Surface & Frame, Burr free, Powder Coated finish |
| 62 | Apparel Factory Set Up | Quality Departmen | Quality Con t Flags | 3 Coloured (Red, |
| 63 | Apparel Factory Set Up | Sewing Accessory | Operator Ch | 1.5' x 3.5', Burr Free Wooden top seating. With Formica white top and teak wood air beading for top, burr free. Powdercoated Metal Tubular frame with Rubber Bushes for stool legs. |
| 64 | Apparel Factory Set Up | Sewing Accessory | Plastic Storag Bins | goods storage Colour Blue, 2' (B) × 3' (L) ×4' (H) |
| 65 | Apparel Factory Set Up | Sewing Accessory | Plastic Storage Bins | goods storage Colour Blue, 1.5' (B) x 2' (L) x1.5' (H) |
| 66 | Apparel Factory Set Up | Sewing Accessory | Plastic Storage Bins | goods storage Colour Yellow, 1.5' (B) x 2' (L) x1.5' (H) |
| 67 | Apparel Factory Set Up | Sewing Accessory | Plastic Storage Bins | Injection molded, Plastic Sturdy Bins, for Cut parts, finished goods storage Colour Red, 1.5' (B) x 2' (L) x1.5' (H) |
| 68 | Apparel Factory Set Up | Sewing Accessory | Centre Table | Butterfly type. 1.5' Industry Standard. |
| 69 | Apparel Factory Set Up | Sewing Accessory | Machine Oil | As per Industry Specifications |
| 70 | Apparel Factory Set Up | Sewing Department | 3T OL - 3 Thread Over Lock | 3Thread Overlock machine with Direct Drive |
| 71 | Apparel Factory Set Up | Sewing Department | 3T OL - 3 Thread Over Lock | 3Thread Overlock machine with Direct Drive |
| 72 | Apparel Factory Set Up | Sewing Department | 3T OL - 3 Thread Over Lock Elastic Feeding | 3Thread Overlock machine with Elastic Feeding & Direct Drive |
| 73 | Apparel Factory Set Up | Sewing Department | 4T OL - 4Thread Over Lock | 4Thread Overlock machine with Direct Drive and Thread cutter |
| 74 | Apparel Factory Set | Sewing Department | 4T OL - 4Thread Over Lock | With elastic Feeding device |

| | / | | | | | | |
|----|------------------------------|----------------------|---|---|---|--|------|
| | Up | | | | | | |
| 75 | Apparel Factory Set Up | Sewing Department | 4T OL - 4Thread Over Lock | d 4Thread Overlock machine with Direct Drive | | | |
| 76 | Apparel Factory Set Up | Sewing Department | 4T OL - 4Thread Over Lock | 4 Thread High | r | | |
| 77 | Apparel Factory Set Up | Sewing Department | 4T OL - 4Thread Over Lock | 4Thread Overlock | | | |
| 78 | Apparel Factory Set Up | Sewing Department | 4T OL - 4Thread Over Lock | 4Thread Overlock machine with Direct Drive | | | |
| 79 | Apparel Factory Set Up | Sewing Department | 5T FL - 5 Thread Flat Lock Cover Seam (with Pulle Set) | 5 Thread Cylinder bed flat lock with | | | |
| 80 | Apparel Factory Set Up | Sewing Department | 5T FL - 5 Thread Flat Lock for Binding attach | attach with Direct Drive motor | | | |
| 81 | Apparel Factory Set Up | Sewing Department | 5T FL - 5 Thread Flat lock for Cover Seam | bottom Thread trimming | | | |
| 82 | Apparel Factory Set Up | Sewing Department | Cover Seam | 5 Thread Cylinder bed flat lock with top & bottom Thread trimming | | | |
| 83 | Apparel Factory Set Up | Sewing Department | machine | 5 Thread Flat lock with Top Elastic attach machine | | | |
| 84 | Apparel Factory Set Up | Sewing Department | 5T FL - Small Cylinder bed Flat lock machine | 5 Thread small cylinder bed flatlock with thread Trimmer | | | |
| 85 | Apparel Factory Set Up | Sewing Department | 5T FL - Flat lock machine, Cutbed | 5 Thread Cut bed flatlock with thread Trimmer | | | |
| 86 | Apparel Factory Set Up | Sewing Department | 5T FL- 5 Thread Flat lock (Bottom Hem machine) | 5 Thread Cylinder bed flat lock with Right Side Fabric Trimming and top & bottom Thread trimming | | | |
| 87 | Apparel Factory Set Up | Sewing Department | 5T OL - 5 Thread Over Lock | 5Thread Overlock machine with Direct Drive | | | |
| 88 | Apparel Factory Set Up | Sewing Department | 5T OL - 5 Thread Over Lock | 5Thread Overlock machine for Jeans | | | |
| 89 | Apparel Factory Set Up | Sewing Department | Auto Elastic Joiner | TechFighter - AML 550 | | | |
| 90 | Apparel Factory Set Up | Sewing Department | Auto Welt Pocket machine | Automatic pocket welting programmable machine | | | |
| 91 | Apparel Factory Set Up | Sewing Department | Bartack for Elastic Joining | Bartack for Elastic Joining | | | |
| 92 | Apparel Factory Set Up | Sewing Department | BH- Button Hole Machine | Computer-controlled, High-speed, Lockstitch Buttonholing Machine | | | |
| _ | Apparel | Sewing | BS - Button | Computer-controlled, | | | |

| 1 | / | | | |
|-----|------------------------------|----------------------|--|--|
| | Up | | | |
| 3- | Apparel | | | Lockstitch, Button Sewing Machine for medium size button |
| 94 | Factory Set Up | Sewing Departmen | BT - Bartac Machine | ck High-speed, Lockstitch |
| 95 | Apparel Factory Set Up | Sewing Departmen | DNLS - Dout Needle Loc Stitch Machin | k standard bar and needle gauage is |
| 96 | Apparel Factory Set Up | Sewing Department | DNLS - Doub Needle Lock Stitch Machin | le Double Needle Lock Stitch Machine with Split bar and needle |
| 97 | Apparel Factory Set Up | Sewing Department | Feed Off A | gauage is 6.4mm |
| 98 | Apparel Factory Set Up | Sewing Department | Feed Off Arm Machine | |
| 99 | Apparel Factory Set Up | Sewing Department | Flat bed Doubl Chain stitch fo Jeans | e |
| 100 | Apparel Factory Set Up | Sewing Department | Flat bed Double | e 6 Needle Waist band attaching machine for Jeans |
| 101 | Apparel Factory Set Up | Sewing Department | Flat bed Double Chain stitch for Jeans | 2 Needle Belt Loop Seaming (with Right & Left Fabric |
| 102 | Apparel Factory Set Up | Sewing Department | Flat lock cylinder bed machine | Trimmer) Cylinder bed machine with puller |
| 103 | Apparel Factory Set Up | Sewing Department | Flat lock flat bed machine | 4 thread flat bed with top & bottom covering sitch with auto trimmer |
| 104 | Apparel Factory Set Up | Sewing Department | Flat Lock for Net folding attach | Flatbed Flat lock machine (2 Needle 2 Looper) for Tape attaching Direct Drive |
| 105 | Apparel Factory Set Up | Sewing Department | Flat Seamer | Flat seamer with pneumatic type chain cutter and waste suction device - UBT |
| 106 | Apparel Factory Set Up | Sewing Department | Lace Elastic Attach Machine | ELASTIC / LACE ATTACHING WITH RIGHT FABRIC TRIMMER |
| 107 | Apparel Factory Set Up | Sewing Department | MNCS- Multi Needle Chain Stitch Machine | Multi Needle Chain Stitch machine with 4 Needle and needle to needle 6.4mm gap |
| 108 | Apparel Factory Set Up | Sewing Department | MNCS- Multi Needle Chain Stitch Machine | Multi Needle Chain Stitch machine with 12 Needle and needle to needle 4.8mm gap |
| 109 | Apparel Factory Set Up | Sewing Department | Multi Needle Cylinder bed Double chain stitch machine | Multi Needle Chain stitch machine for Decorative purpose - 12 Needle with needle guage of 4,8 mm (Different guage set available) |
| 110 | Apparel Factory Set Up | Sewing Department | Cylinder bed Double chain | Multi Needle Chain stitch machine for Elastic Inserting and Attaching - 4 Needle vith needle guage of |

| 1 | 1 | | | 8.5 mm (Different guage |
|-----|---------------------------------|----------------------|--|---|
| 111 | Apparel Factory Set Up | Sewing Department | Multi Need Cylinder be Double cha stitch machi | ed Tape Attaching -6 hin Needle with needle ne guage of 6.4 mm (Different guage set |
| 112 | Apparel Factory Set Up | Sewing Department | Multi Needl Cylinder bed Double chai stitch machin | with Elastic Thread Shirring Sewing - 12 |
| 11: | Apparel 3 Factory Set Up | Sewing Department | Multi Needle Cylinder bed Double chain stitch machine | Multi Needle Chain stitch machine for Shirt Front (Placket) attaching -4 Needle with needle guage of |
| 11 | Apparel L4 Factory Set Up | Sewing Department | Outer Elastic Machine | Cylinder bed flatlock with right side fabric trimming, pneumatic Elastic inserting auto thread trimming with rear extending roller- UBT |
| 1: | Apparel 15 Factory Set Up | Sewing Department | Outer Elastic Machine | Thread cutter, Non Fabric puller |
| 1 | Apparel 16 Factory Set Up | Sewing Department | Picoting Machine | Picoting Zigzag Machine |
| 1 | Apparel 17 Factory Set Up | Sewing Department | Single Head Embroidery Machine | As per Industry Specifications |
| 1 | Apparel 18 Factory Set Up | Sewing Department | Snap and Popper Attach Machine | machine with servo motor |
| 1 | Apparel 19 Factory Set Up | Sewing Department | SNEC - Single Needle Edge Cutter | Single Needle Lock Stitch Machine with Edge Cutter & Direct Drive |
| 12 | Apparel Factory Set Up | Sewing Department | SNLS - Single Needle Lock stitch | Medium Duty Single Needle Lock Stitch Machine with UBT & Direct Drive |
| 12 | Apparel Factory Set Up | Sewing Department | SNLS - Single Needle Lock stitch | Heavy Duty Single Needle Lock Stitch Machine with Direct Drive |
| 122 | Apparel Factory Set Up | Sewing Department | | High speed one needle Zig-Zag stitching machine with Universal Sewing (Decorative sewing, multiple decorative type cam for changing based on needs. (The 5.0mm cam is attached inside the accessory box with each product.) |

| 1 | Building Infrastructure | Bins | Waste Collecting Bins | Small Waste Collecting Bins (Plastic, 1.5'H x 1' Dia) | | | |
|-----|----------------------------|------------------------------------|------------------------------------|--|--|--|---|
| 24 | Building Infrastructure | Bins | Waste Collecting Bins | Large Waste Collecting Bins Green & Black (PVC, 4 ft height) | | | |
| 5 | Building Infrastructure | Electrical | Electronic Voltage Stabilisers | Electronic Voltage Stabilizer, Rated Current 30 A Working Range (Input) 110V-290V, Time Delay 5 sec ± 2 sec | | | |
| 26 | Building Infrastructure | Electrical | Apparel Lighting system | Single low energy White Tubelight with mirror reflector set, with individual on-off switch with Bus Bar 15 Ams plugs for sewing machines. Including Installation in the sewing lines | | | |
| 127 | Building Infrastructure | Electrical | Apparel Lighting system | Single low energy White Tubelight with mirror reflector set, with individual on-off switch. Including Installation in the various apparel department | | | |
| | Building | Electrical | Apparel Lighting system | Regular Tubelights with holder | | | |
| 128 | Building | Electrical | Miniature Circuit Breaker (MCB) | MCBs for - Machines Lines, Compressors, Sewing related, Lighting, General Lighting, 30 Amps | | | |
| 13 | Building Infrastructure | Electrical | Generator | (For Factory with 250 sewing machines) 250KvA Generator Including and Commissioning. Low noise, Low emission. Industrial Celling | | | |
| 13 | Building Infrastructure | Fans | Celing Fans | Fans. Low RPM, Large Volume | | | |
| 13 | Building Infrastructure | Fans | Roof Ventilators | As per Industry Norms | | | _ |
| 133 | Ruilding | Fire Extinguishers cylinders | As per standard, wall hanging | Fire Extinguisher 6 Kg. Capacity ISI Mark IS: 15683 operating temperature (-0) °C to (+55) °C and Fire Rating 2A & 21B type of fire filled with MAP Powder Complete in all respect & 'A', 'B' & 'C' class fires - inflammable liquids, gaseous fires like L.P.G. and acetylene, and electrical fires | | | |
| 13 | Building Infrastructure | Furniture/Acc essory | Punching and ID cards (HR System) | Biometric, RF ID (complete system) | | | |
| 13 | Building Infrastructure | Matting | Industrial Floor Mat | 2 mm, PVC, apparel industry specification | | | |

| | A CONTRACTOR OF THE PARTY OF TH | | | 0 | |
|-----|--|---------------------|-----------------------------|--|--|
| | | | | floor mat | |
| 136 | Building Infrastructure | Pheumatic Supply | Air Screw Compressor | 10 HP, 200L Tank, Oil Free Compressor, with Air Dryer and accessories for complete installation. Onsite service and | |
| 137 | Building Infrastructure | Pheumatic Supply | Air Screw Compressor | warranty for 2 years 15 HP, 300L Tank, Oil Free Compressor, with Air Dryer and accessories for complete installation. Onsite service and warranty for 2 years | |
| 138 | Building Infrastructure | Pheumatic Supply | Air Screw Compressor | 20 HP, 500L Tank, Oil Free Compressor, with Air Dryer and accessories for complete installation. Onsite service and warranty for 2 years | |
| 139 | Building Infrastructure | Pheumatic Supply | Compressor Air Blow Gun | Air Blower Spray Blow Gun and 5 m Recoil Hose with Dust Clean Nozzle | |
| 140 | Building Infrastructure | Pheumatic Supply | Compressor Plumbing | Compressed airline plumbing with connectors and nipples, As per requirement for machines per running meter. Consealed Plumbing with equidistant floor points | |
| 141 | Building Infrastructure | Water | Drinking water Dispenser | Water Cooling, Heating and Normal Facility | |
| 142 | Building Infrastructure | Water | Drinking water Purifier | RO Water Purifier with UV, 25-50 Ltrs Per hour Water Filter, Commercial & Industrial Water RO Purifier, TDS Adjuster, Automatic Pro Smart, Dual Pump. With 1 set spare filters | |
| 143 | Building Infrastructure | Water | Water plumbing | Drinking water Consealed plumbing - Up to the Water Dispenser | |
| 144 | Other Infrastructure | ΙΤ | Computer Desktops | All in One Desktop set (Core i5 10th Gen or greater, 8GB, 1TB Tiny CPU, 21 inches monitor, Keyboard, Mouse, FHD Webcam, Windows 11, MS Office, WiFi compatible | |
| 145 | Other Infrastructure | ΙΤ | Laptop | Lenovo Thinkpad Laptop E15 Intel Core i3 - 8GB RAM, 256 GB SSD | |

| | Other Infrastructure | IT | Wifi Extender | Wifi Range Extender (Repeater), 5GHz | | T | | T |
|-----|----------------------------|------------|--|--|--|---|---|---|
| 147 | Other Infrastructure | IT | Wifi Router | Wifi 6 with 4 antenas | | | | |
| - | | | - Triii (Cotte) | 5Ghz, greater than 500Mbps | | | | |
| 148 | Other Infrastructure | ΙΤ | Printer, copier, scanner, All in one | Printer laserjet for Home & SMBs: 3-in- 1 Print+Copy+Scan, Mess-Free 15 Sec Toner Refill, Lowest Cost/Page-B&W Prints, Dual Band Wi-Fi, Smart Guided Buttons, Mobile Printing or better | | | | |
| 149 | Other Infrastructure | IT | Printer Toner | Matching the printer as quoted above | | | | |
| 150 | Other Infrastructure | Fans | Industrial Exhaust Fan | blades [44000 CMH] - 1.1 KW, 3Phase, EXH-F-1380 | | | | |
| 151 | Other Infrastructure | Fans | Infra Accessories | Mounting Accessories & Installation of Exhaust Fan | | | | |
| 152 | Building Infrastructure | Electrical | Apparel Lighting system | Round Orion Highbay Led 150W, CDS-L-HB150 | | | | |
| 153 | Building Infrastructure | Electrical | Industrial Fans | OP-G16 -6 Blade Nord Gear Reducer type 4.9m, 1.5 kw - 16' HVLS Fan -Air Volume: 9000 CMM Imported American Aviation aluminium (AA6063T6) | | | | |
| 154 | Building Infrastructure | Electrical | BusBar | DTM-63A-STD - ABE 63A Cu Plug-in Busbar IP-55 4C, Standard Lenght (300cm, 8 Plug-in option) | | | | |
| 155 | Building Infrastructure | Electrical | BusBar | DTM-63A-SPL - ABE 63A Cu Plug-in Busbar IP-55 4C,Special Length (100cm, 2 Plug-in option) | | | - | |
| 156 | Building Infrastructure | Electrical | BusBar | DTM-63A-EF-SM - ABE 63A Cu SM End Feeder Unit | | | | |
| 157 | Building Infrastructure | Electrical | BusBar | DTM-BMEC-4063 - ABE 40/63A BM End closer Unit | | | | |
| 158 | Building Infrastructure | Electrical | BusBar | DTM-16A-L1 - ABE 16A Tap off plug L1 | | | | |
| 159 | Building Infrastructure | Electrical | BusBar | DTM-16A-L2 - ABE 16A Tap off plug L2 | | | | |
| 160 | Building Infrastructure | Electrical | BusBar | DTM-16A-L3 - ABE 16A Tap off plug L3 | | | | |
| 161 | Building Infrastructure | Electrical | | DTM-FU-4063 - ABHOAS Universal Fixing Unit | | | | |
| 162 | Building Infrastructure | Electrical | BusBar | DTM-JS-4063 - ABE/ABE Mounting Joint Set | | | | |
| 163 | Building Infrastructure | Electrical | D Dar | DTM-TB-STD - TR85 35A Trolley Bysbar | | | | |

| 1 | | | | Standard Length | | | | T |
|-----|----------------------------|------------|--------|---|--|---|---|---|
| 164 | Building Infrastructure | Electrical | BusBar | DTM-TB-FU - TR85 Feeder Unit | | - | - | |
| 165 | Building Infrastructure | Electrical | BusBar | DTM-TB-EC - TR85 End Closer | | | | + |
| 166 | Building Infrastructure | Electrical | BusBar | DTM-TB-CC - TR85 Current Collector Car (4P-35A) (With round coils) | | | | |
| 167 | Building Infrastructure | Electrical | BusBar | DTM-TB-SLH - TR85 Sliding Hanger | | | | |
| 168 | Building Infrastructure | Electrical | BusBar | DTM-TB-JE - TR85 Joint Element | | | | |
| 169 | Building Infrastructure | Electrical | BusBar | DTM-TB-CU - TR85 Copper Strip | | | | |
| 170 | Building Infrastructure | Electrical | BusBar | DTM-32A-TOB - ABE 32A Tap-off Unit-IP55 (Empty- Suitable for 3P MCB) | | | | |
| 171 | Building Infrastructure | Electrical | BusBar | DTM-160A-STD - SPH 160A Aluminium Standard Length IP-55 4C | | | | |
| 172 | Building Infrastructure | Electrical | BusBar | DTM-160A-SPL - SPH 160A Aluminium Special Length IP-55 | | | | |
| 17 | Building Infrastructure | Electrical | BusBar | DTM-160A-EF - SPH 160A 4conductor Feeder Box (With Block Joint) | | | | |
| 17 | Building Infrastructure | Electrical | BusBar | DTM-160A-EC - 160A End Closer | | | | |
| 17 | Building | Electrical | BusBar | DTM-160A-80A - 80ATap off Box (Empty Suitable for 3P MCB) | | | | |
| 17 | Building Infrastructure | Electrical | BusBar | DTM-160A-FC - SPH 160A Fixing Clamp | | | | |

कार्यालय नगर पालिक निगम भिलाई नगर द्वारा क्य किए जाने वाली उपरोक्त सामग्री मेरे द्वारा प्रस्तुत दर पर प्रदाय करने हेतु तथा छ.ग. भण्डार कय नियम के पालन हेतु सहमत हुँ, एवं सभी प्रकार के करों का जो भी भुगतान होगा वहन करूंगा। मेरे द्वारा सामग्री की सूची, नियम एवं शर्तों का अध्ययन कर लिया गया है जिसके लिए मैं सहमत हुँ।

फर्म का सील एवं हस्ताक्षर