

MUNICIPAL CORPORATION OF BHILAI

NIT

कार्य का नाम :- जोन 03 अंतर्गत 03 नग वाटर एटीएम स्थापना कार्य। 1. सेक्टर-01 जनता कार्यालय के पास, 02. सेक्टर 01 सड़क 35 एवं 36 उद्यान के पास 3. सेक्टर 02 अयप्पा मंदिर रोड के पास

1 dd (s) b p irr	Supply and fixing of precoated galvanized iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm +/- 5% total coated thickness (TCT), Zinc coating 120gsm as per IS: 277 in 240mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches while transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet hall be fixed using self drilling /self tapping screws of size (5.5x 55mm) with EPDM seal or with polymer coated J or L hooks, bolts and nuts 8mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead complete upto any pitch in horizontal/ vertical or curved surfaces excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	Quantity	Sqm
2 m gr			
	Providing and laying nominal mix plain cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of form work.1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40mm nominal size).	1.74	Cum
3 00	Providing and laying ceramic glazed floor tiles conforming to IS: 15622 of approved size, make, colour, shade laid on 20 mm thick Cement Mortar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement mixed with matching pigment etc., complete. Size 300x300mm	17.28	Sqm
1 10	Providing and fixing M.S. grill of approved pattern made of M.S. flats or square or round bars welded to steel frame of windows etc. including applying a priming coat welded to frame with all necessary tting complete including applying a priming of red oxide zinc chromate primer.	204	Kg
ov.	roviding and placing on terrace (at all floor levels) polyethylene water storage tank ISI: 12701 narked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and verflow pipes but without fittings and the base support for tank	3000	Litre
5 exc 25	roviding and laying in trenches G.I. pipes medium class complete with G.I. fittings including scavation of trenches, refilling the same and testing of joints complete:	390	Mtr.
Propropropropropropropropropropropropropr	ON SOR ITEM roviding and fixing Water Treatment plant based on Reverse Osmosis Technology Design to oduce product water at the flow rate of 250,500,1000. Re Proposed water treatment based on RO Technology can even Work continuosly for 10-15½ Hrs. or day. REATMENT SCHEME: RAW WATER PUMP MEDIA FILTER UNIT SPECIAL ANTI-SCALENT DOSING SYSTEM MICRON CARTRIDGER FILTER HIGH PRESSURE PUMP R.O. MODULES MEMNRANE CLEANING SYSTEM SV WITH FLUSHING SYSTEM. PROFILE SHEET STRUCTURE FOR RO SYSTEM (SIZE 2.00 x 2.00 Mtr.) Maintenance for 1 Year. IENT TO PROVIDE: Control Supply: 250 Volts (1 Phase, 50 Hz for all Instructios.) Power supply: 440±10 Volts, Three phase 50Hz for high-pressure pump. Labour As and when required.	3	1625

Executive Engineer Municiapal Corporation Bhilai

Assistant Engineer Municipal Corporation

Sub Engineer Municipal Corporation Bhilai